

Country Report

nutritionDay November 2013 in GREECE

Dear participant, February 2014

Thank you for your participation in nutritionDay worldwide in November 2013 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	23
Number of patients on nutritionDay:	403
Number of patients completing Sheet 3a:	397
Number of patients completing Sheet 3b:	375

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on November 6th 2014. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

PD. Dr. Karin Schindler

4. Shindle

Sigrid Kosak, MA

Ligid Morak

How to read the results

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

```
For example: number of patients on nutritionDay 2013 = 20
Fluid status (n):
dehydrated 4
```

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2013.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2013 = 20

```
Weight loss within 3 months (n)
```

```
Yes 10

Category of weight decrease (n):

0-4 kg 4

5-8 kg 2

> 8 kg 1

not sure 2

missing 1
```

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows:

```
For example: Weight (kg) 75 \pm 15
```

Median and range are displayed that way:

```
For example: LOS (days) 8 [5-15]
```

I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Number of bods (n).		
Number of beds (n): Actual	22 ± 11	27 ± 15
Maximum	26 ± 10	32 ± 16
Waximam	20 1 10	32 ± 10
Number of patients on the nutritionDay (n):		
Total	403	9897
Did not give consent	8 (1.99%)	873 (8.82%)
Needed help completing form	175 (43.4%)	5232 (52.9%)
Terminally ill	9 (2.23%)	707 (7.14%)
Specialities (n):		
Internal medicine / general	5 (21.7%)	125 (25.2%)
Internal medicine / gastroenterology and	· , , -	33 (6.64%)
hepatology		
Internal medicine / oncology (incl.	3 (13.0%)	52 (10.5%)
radiotherapy)		
Internal medicine / cardiology	2 (8.70%)	40 (8.05%)
Internal medicine / infectious diseases	-	2 (0.40%)
Internal medicine / geriatrics	-	38 (7.65%)
Internal medicine / nephrology	3 (13.0%)	8 (1.61%)
Pediatrics	-	5 (1.01%)
Neurology	2 (8.70%)	15 (3.02%)
Psychiatry For Ness Throat (ENT)	-	8 (1.61%)
Ear Nose Throat (ENT)	- E (21 70/)	5 (1.01%)
General surgery	5 (21.7%)	56 (11.3%) 4 (0.80%)
Cardiothoracic surgery Orthopedic surgery	1 (4.35%)	29 (5.84%)
Trauma	1 (4.3370)	7 (1.41%)
Neurosurgery	_	6 (1.21%)
Gynecology	-	5 (1.01%)
Long-term-care	-	6 (1.21%)
Others	2 (8.70%)	53 (10.7%)
Staff /Staff per patient (n):	12 / 5 0 25	7.00 0.01
Physicians per petient	12.65 ± 8.35	7.20 ± 8.91
Physicians per patient Consultants	0.48 ± 0.27	0.25 ± 0.32
	0.05 ± 0.21 0.00 ± 0.01	2.71 ± 5.30 0.09 ± 0.18
Consultants per patient Registrars	0.50 ± 0.01 0.52 ± 0.73	2.12 ± 4.43
Registrars per patient	0.02 ± 0.73 0.02 ± 0.02	0.07 ± 0.13
registrals per patient	0.02 ± 0.02	0.07 ± 0.13
Nurses	6.22 ± 5.33	8.34 ± 8.65
Nurses per patient	0.28 ± 0.32	0.27 ± 0.25
Nursing aides	3.74 ± 2.85	3.08 ± 3.31

Nursing aides per patient	0.17 ± 0.14	0.10 ± 0.10
Dieticians and dietetic assistants	0.50 ± 0.60	1.27 ± 1.20
Dieticians and dietetic assistants per pat.	0.02 ± 0.03	0.05 ± 0.05
Nutrition Care:		
Nutrition Team	6 units (26%) Yes	390 units (78%) Yes
Written procedures		
- individual	14 units (61%) Yes	316 units (64%) Yes
- local	5 units (22%) Yes	221 units (44%) Yes
- national	10 units (43%) Yes	225 units (45%) Yes
- other	- units (00%) Yes	83 units (17%) Yes
Patients' weight assessed:		
On admission	4 units (17%) Yes	396 units (80%) Yes
When requested	19 units (83%) Yes	282 units (57%) Yes
Once a week	1 units (04%) Yes	203 units (41%) Yes
Occasionally	2 units (09%) Yes	61 units (12%) Yes
Never	1 units (04%) Yes	2 units (00%) Yes

II. YOUR PATIENTS ("Sheet 2"):

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Number of patients (n):		
Total	403	9897
Patients who completed sheet 3a	397 (98.5%)	8656 (87.5%)
Patients who completed sheet 3b	375 (93.1%)	8375 (84.6%)
Demographic data:		
Age (years)	69 [4-97]	67 [2-109]
Female gender	228 (56.6%)	4907 (49.6%)
Weight (kg)	73.6 ± 14.0	71.7 ± 20.6
Height (cm)	168.3 ± 9.5	165.2 ± 11.7
BMI (kg/m²)	25.9 ± 4.0	26.1 ± 6.5
_		
ICU-stay:	- ()	
Any ICU-stay	9 (2.23%)	996 (10.1%)
Surgery (n):		
Preoperative patients	29 (7.20%)	799 (8.07%)
Postoperative patients	36 (8.93%)	2361 (23.9%)
Length of stay in Hospital (days):	10 [2-137]	12 [1-358]
Outcome after 30 days (n):		
Still in hospital	15 (3.72%)	1017 (10.3%)
Transferred to another hospital	7 (1.74%)	230 (2.32%)
Transferred to long-term care	10 (2.48%)	598 (6.04%)
Rehabilitation	5 (1.24%)	377 (3.81%)
Discharge home	305 (75.7%)	6785 (68.6%)
Death	20 (4.96%)	390 (3.94%)
Others	1 (0.25%)	110 (1.11%)
Missing	40 (9.93%)	390 (3.94%)
Readmitted (n):	54 (13.4%)	1144 (11.6%)

Results in percent referring to the total number of patients

II. YOUR PATIENTS ("Sheet 2"):

<u> </u>	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	4 (0.99%) 3 (0.74%) 2 (0.50%) 141 (35.0%) 7 (1.74%) 197 (48.9%) 20 (4.96%) 38 (9.43%)	729 (7.37%) 276 (2.79%) 57 (0.58%) 2520 (25.5%) 1215 (12.3%) 5906 (59.7%) 477 (4.82%) 479 (4.84%)
Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	356 (88.3%) 38 (9.43%) 5 (1.24%) 4 (0.99%)	6115 (61.8%) 754 (7.62%) 230 (2.32%) 2798 (28.3%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	50 (12.4%) 2 (0.50%) 2 (0.50%) 53 (13.2%) 42 (10.4%) 21 (5.21%) 83 (20.6%) 87 (21.6%) 8 (1.99%) 35 (8.68%) 25 (6.20%) 4 (0.99%) 3 (0.74%) 75 (18.6%) 17 (4.22%)	1323 (13.4%) 190 (1.92%) 180 (1.82%) 2052 (20.7%) 1428 (14.4%) 446 (4.51%) 1768 (17.9%) 1472 (14.9%) 807 (8.15%) 1564 (15.8%) 406 (4.10%) 400 (4.04%) 117 (1.18%) 1625 (16.4%) 688 (6.95%) 93 (0.94%) 547 (5.53%) 466 (4.71%)
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	76 (18.9%) 21 (5.21%) 15 (3.72%) 7 (1.74%) 52 (12.9%) 67 (16.6%) 220 (54.6%)	2238 (22.6%) 642 (6.49%) 686 (6.93%) 363 (3.67%) 1262 (12.8%) 3763 (38.0%) 3551 (35.9%)

Results in percent referring to the total number of patients

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Weight Is a within the Is at 2 mounths (a)		
Weight loss within the last 3 months (n): Total of patients answering	379 (95.5%)	8418 (97.3%)
Yes	183 (46.1%)	3772 (43.6%)
No	165 (41.6%)	3288 (38.0%)
No, I've gained weight	20 (5.04%)	718 (8.29%)
I don't know	11 (2.77%)	640 (7.39%)
Category of weight decrease (n):		
Patients reporting weight loss	183 (46.1%)	3772 (43.6%)
0-4 kg	61 (15.4%)	1679 (19.4%)
5-8 kg	52 (13.1%)	678 (7.83%)
> 8 kg	62 (15.6%)	970 (11.2%)
Not sure	6 (1.51%)	412 (4.76%)
Missing	2 (0.50%)	33 (0.38%)
"How well have you eaten during the last		
week?"(n):		
Normal	175 (44.1%)	4084 (47.2%)
A bit less than normal	108 (27.2%)	1957 (22.6%)
Less than half of normal	45 (11.3%)	1256 (14.5%)
Less than a quarter to nearly nothing	47 (11.8%)	1074 (12.4%)
Missing	22 (5.54%)	285 (3.29%)
"I ate less because"(n)*:		
Total of patients answering	179 (45.1%)	4299 (49.7%)
Loss of appetite	127 (32.0%)	2344 (27.1%)
Problems with swallowing, mastication	20 (5.04%)	448 (5.18%)
Nausea	19 (4.79%)	748 (8.64%)
Other reasons	39 (9.82%)	1574 (18.2%)
"Can you walk without assistance?"(n):		
Yes	243 (61.2%)	5059 (58.4%)
No, only with assistance	82 (20.7%)	2373 (27.4%)
No, I stay in bed	51 (12.8%)	968 (11.2%)
Missing	21 (5.29%)	256 (2.96%)
"In general would you say your health is" (n):		
Excellent	21 (5.29%)	283 (3.27%)
Very good	37 (9.32%)	728 (8.41%)
Good	83 (20.9%)	2708 (31.3%)
Fair	121 (30.5%)	2932 (33.9%)
Poor	117 (29.5%)	1685 (19.5%)
Missing	18 (4.53%)	320 (3.70%)
Results in percent referring to the total number of	,	020 (0.7070)
Results in percent retenting to the total number of	patients answering	

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	208 (52.4%)	4927 (56.9%)
No	151 (38.0%)	2875 (33.2%)
- I was not hungry	106 (70.2%)	1429 (49.7%)
- Problems with swallowing / mastication	11 (7.28%)	238 (8.28%)
- Nausea	28 (18.5%)	546 (19.0%)
- Others	16 (10.6%)	658 (22.9%)
no answer	16 (4.03%)	573 (6.62%)
Fluid and supplement intake (n):		
Patients with fluid intake	260 (69.3%)	6289 (75.1%)
Drinks per patient & day (I)	0.28	0.39
Patients with supplements	8 (2.13%)	982 (11.7%)
Supplements per patient & day (I)	0.01	0.03
"What kind of drinks did you consume?" (n)*:		
Water	290 (77.3%)	5783 (69.1%)
Milk	89 (23.7%)	1754 (20.9%)
Fruit juice	59 (15.7%)	1975 (23.6%)
Tea, coffee	126 (33.6%)	3262 (38.9%)
Soft drinks	15 (4.00%)	872 (10.4%)
Lunch intake (n):		
All	123 (32.8%)	3380 (40.4%)
1/2	114 (30.4%)	2315 (27.6%)
1/4	60 (16.0%)	1405 (16.8%)
Nothing	73 (19.5%)	1133 (13.5%)
? No answer	5 (1.33%)	142 (1.70%)
	,	, ,
"I did not eat everything because" (n)*:		
I was not hungry	107 (42.5%)	1554 (31.1%)
I had nausea / vomiting	25 (9.92%)	474 (9.49%)
I was not allowed to eat	42 (16.7%)	473 (9.47%)
I can not eat without help	3 (1.19%)	68 (1.36%)
I had an examination / surgery I ordered a smaller portion	10 (3.97%)	292 (5.85%)
I was tired	1 (0.40%)	106 (2.12%)
I normally eat less	19 (7.54%)	313 (6.27%)
I did not like the smell	6 (2.38%)	379 (7.59%)
I did not like the taste	30 (11.9%)	188 (3.76%)
raid not include	54 (21.4%)	664 (13.3%)

"Do you eat any food apart from hospital food?" (n): Yes	118 (29.7%)	2709 (31.3%)
No	231 (58.2%)	5149 (59.5%)
No answer	26 (6.55%)	517 (5.97%)
"What do you eat?" (n)*:		
Cakes, biscuits	37 (31.4%)	837 (30.9%)
Fresh fruits	19 (16.1%)	959 (35.4%)
Sandwiches	20 (16.9%)	309 (11.4%)
Dairy products	17 (14.4%)	416 (15.4%)
Preferred dish	31 (26.3%)	312 (11.5%)
Sweets	12 (10.2%)	485 (17.9%)
Fruit Juice	20 (16.9%)	334 (12.3%)
Others	16 (13.6%)	470 (17.3%)
"Did you need help to complete the questionnaire?" (according to patient) (n):		
Yes	366 (92.2%)	6038 (69.8%)

Results referring to the total number of completed questionnaires